

www.faam.com

VASO APERTO



SERIE STA "OPZS" ELEMENTI 2V (OPZS)

- (+) Tubular plates Pb/Sb
- (-) Pasted grid plates
- Highly porous separators and low resistance separators
- Double separation
- Intercell Connections of Lead Copper
- Flame arrestor caps
- Anti-incendiarly device (Corundum)
- Flat lead terminals
- Transparent SAN container
- Low standby power loss
- Wide range
- High performance
- Versatile
- Low maintenance
- Long life
- Very long term reliability
- Long cycle life

Official references:

CEI IEC 60896 part 1
 DIN 40736 part 1
 EN 50272-2
 EUROBAT "Long life (15 years)"

LOOK AHEAD




The STA FAAM series represents the union of technology and history. Advanced technology is matched with traditional quality. The use of established materials is combined with new assembly methods guaranteeing reliability and tradition.



www.faam.com

VRLA GEL



SERIE STG : ELEMENTI 2V(OPzV) MONOBLOCCHI 6-12V

- (+) Tubular plates Pb/Ca
- (-) Pasted grid plates
- Microporous fibreglass separators
- Fire device
- VABS container and cover (Request FV0)
- M 10 Threaded insert female terminals
- Internal low pressure safety valve
- Wide range
- High cyclical performance
- Versatile installation
- Very long term reliability
- Low standby power loss

Official references:
 CEI IEC 60896 part 21 E 22
 DIN 40742 DIN 43539 T5
 UL 1989
 EN 50272-2
 EUROBAT "Long Life" (15 years)

LOOK AHEAD



The STG series is part of the natural evolution of traditional acid batteries, specifically constructed for enclosed spaces and closets, without losing the characteristic reliability of tubular plate storage batteries. Thanks to Gel technology the STG series can be installed horizontally or vertically.



www.faam.com

VRLA AGM



SERIE FLL: ELEMENTI 2V MONOBLOCCHI 6-12V

- High spec Pb/Ca/Sn pasted grid flat plates
- Microporous, glass fibre separators
- ABS class Fvo containers and covers
- M6 or M8 Threaded insert female terminals
- Fire device (corundum)
- Cover with integrated handle (on 6-12V monobloc models)
- Internal low pressuresafety valve
- Long life with high reliability
- Operational safety
- Low voltage drop
- Versatile installation
- Long range

Official references:
 CEI IEC 60896 part 21 E 22
 DIN 43539 T5
 BS 6290 part 4 BS 6334 (FV0)
 UL 1989
 EN 50272-2
 EUROBAT "Long Life" (12 years)

LOOK AHEAD



The wide range of the FLL series, recently enhanced with 5 new 6V monobloc models, can meet the most varied needs with a safe and long life product.





www.faam.com

VRLA AGM (FRONT TERMINAL)

SERIE FMR MONOBLOCCHI 12V

- High spec pasted grids, Pb/Ca/Sn flat plates
- Low resistance, microporous, glass fibre separators
- ABS class fvo containers and covers
- M6 Front Terminals
- Anti-incendiary device (Corundum)
- Designed for 19" e 23" Racks
- Monobloc with integrated handle
- Internal low pressure safety valve
- Remote Venting System on demand
- Upper surface connection option
- Long working life
- Ultra low power loss in standby
- Compact and flexible use


Official references:

CEI IEC 60896 part 21 E 22
 DIN 43539 T5
 BS 6290 part 4
 UL1989
 EN 50272-2
 EUROBAT "Long Life" (12 years)

LOOK AHEAD



The FMR series is the result of thorough research undertaken by FAAM to guarantee to end users a product specifically designed for rack installation.



www.faam.com

VRLA AGM

SERIE FHP MONOBLOCCHI 12V

- Pasted grids, Pb/Ca/Sn flat plates
- Ultra-low resistance, microporous, glass fibre separators
- ABS class SV containers and covers
- M 16 Threaded insert female terminals
- Fire device (corundum)
- Cover with integrated handle
- Internal low pressure safety valve
- Reduced clutter
- Very long range
- Long life
- High power specification

Official references:

CEI IEC 60896 part 21 E 22
 DIN 43539 T5
 BS 6290 (general part)
 UL 1989
 EN 50272-2
 EUROBAT "High Performance" (10/12 years)

LOOK AHEAD



The FHP series is specifically developed for maximum performance, especially in tight spaces. With 10 models FAAM covers the full range of UPS and related needs.



www.faam.com

VRLA AGM

Official references:

UL 1989
EN 50272-2
EUROBAT "General Purpose"

LOOK AHEAD

SERIE FTS MONOBLOCCHI 6-12V

- Pasted grids, flat plates Pb/Ca
- Low resistance, microporous glass fibre separators
- ABS containers and covers
- Internal low pressure security valves
- Fast-on terminals
- Multi-position installation
- Wide temperature range
- Maintenance free
- Reliability
- Wide range of applications
- Compact



The FTS series has been specifically developed to guarantee continuity in all situations as well as flexibility



www.faam.com

LOOK AHEAD

SERVICE PACKAGES

FAAM S.p.A. matches products and services to completely meet the needs of clients. Together with supplying batteries FAAM tailors solutions for stationary battery usage. Service packages cover the spectrum from pre-sale to post-sale:

PRE-SALE:

- Designing and engineering new installations; optimising existing installations
- Management (planning and execution) of all installation phases
- Development and testing of racks, closets cupboards and essential accessories; inspection reports
- Dismounting, consignment and disposal of used batteries, including accessories


POST-SALE:

- Maintenance and inspection programmes, with Certificates of Inspection

All these services will be carried out by a qualified organisation, from within FAAM, operating throughout the EMEA (Europe, The Middle East and Africa) and the Pacific.

Service procedure must be agreed with our technical-commercial staff.





www.faam.com




Monterubbiano Factory



Monte S. Angelo Factory



Yixing Factory



LOOK AHEAD

Faam Worldwide Operations